DRUPAL TUTORIAL SERIES

HOW TO CREATE AN ANCHOR LINK TO WEBFORM



For the many journeys in life

Classification : Internal

2025

The objective of an anchor link is to skip contents and automatically scroll down to a webform when user clicks on the CTA.

Creating an anchor on your webpage takes 2 parts of actions:

PART 1: Set up the Webform

PART 2: Edit your webpage

Then you're good to go!





Process enhancement

We design and implement process enhancements towards fleet and mobility management to reduce costs and to increase employee satisfaction.

Sourci

We conceive funding and sp

CONTACT US



PART1 - WEBFORM SETTING

Step 1 : Create a new webform in your BO

S Back to site E Manage L rliu		Admin Toolbar quick search						
Ŀ	Content	👬 Structure 🔧 Configu		ration				
		Job offer settin	igs					
	STAK A	Menu settings						
	View	Taleo terms		Build	Settings	Translate	Clone	
	Home » STA	Taxonomy						
	+ Add ele	Webforms		dd layout				

Path: Menu-Structure-Webform-Add webform

Forms Submissions Home » Webforms							
Home » Webforms + Add webform							
+ Add webform	Home » Webforms						
▼ FILTER WEBFORMS							

Step 2 :

Once your webform is created, add a title and short description using a HTML text box to set the anchor

STAR ANCHOR							
View Test Results Build Settings Translate Clone							
Home » STAR ANCHOR							
+ Add element + Add page + Add layout							

In the pop-up menu, search for Advanced HTML/Text, then add element

Select an element	×
advance X	Show preview Collapse all
▼ <u>COMPOSITE ELEMENTS</u>	
ТҮРЕ	
Advanced address 📀	Add element
Telephone advanced 😰	Add element
▼ MARKUP ELEMENTS	
ТҮРЕ	
Advanced HTML/Text	Add element



Step 3 :

Modify text format, you MUST choose Full HTML (Private Lease), otherwise it won't work

General Conditions Advanced Access Expand all ELEMENT SETTINGS Type Advanced HTML/Text Key * processed_text PROCESSED TEXT SETTINGS Display on form only form only B J S x² x₂ J_x I = II IIIIIIIIIIIIIIIIIIIIIIIIIII	Edit element					>	
ELEMENT SETTINGS Type Advanced HTML/Text Key * processed_text PROCESSED TEXT SETTINGS Display on form only form only B IJ J S ײ Y Image: A set	General Co	onditions	Advanced	Access		Expand all	
Key * processed_text PROCESSED TEXT SETTINGS Display on form only Ø </td <td>ELEMENT S Type Advanced HTM</td> <td>ETTINGS</td> <td></td> <td></td> <th></th> <th></th>	ELEMENT S Type Advanced HTM	ETTINGS					
PROCESSED TEXT SETTINGS Display on form only Image: Second seco	Key * processed_text						
Fill out Basic HTML (Private Lease) Full HTML (Arval Offer LTR) Full HTML (Arval Offer MTR) Full HTML (Private Lease) Full HTML (Private Lease) Full HTML (Private Lease) Filtered HTML Full HTML Full HTML (Private Lease) Filtered HTML Full HTML	form only B U I 99 II 4 A	5 × ² ≣ ≣ Fo X ⊡ ඕ	▼ ×₂ <u>I</u> x ∈ ≣ mat - S () () () Ω	⊰≣ ee Styles ⊡0⊡0	• ≪ :≣ ≀≣ • [-] Source		
Text format Full HTML (Private Lease)	Fill out	Basic HTM Restricted Full HTML Full HTML Full HTML Plain text (Filtered HT Full HTML	L (Private Leas HTML (Private (Arval Offer LT (Arval Offer MT (PL Catalog) (Private Lease) Private Lease) ML	ie) Lease) R) IR)	IORE? buch with our te	am.	
	Text format	Full HTML	(Private Lease) 🔻	About text for	mats 🕜	

Step 4 :

Write your title and short description here in the text box





Step 5 (IMPORTANT) :

Click the "Source" button and insert the following line of code

PROCESSED TEXT SETTINGS Display on form only	PROCESSED TEXT SETTINGS Display on form only	
B U I S $x^2 \times_2 I_x = = \otimes \otimes = = = $ 97 $\square = = = $ Format $\cdot $ Styles $\cdot [-] $ $\land \rightarrow \& \Box = = \Box = \square \Omega = \square O Source$	B U I S × ² × ₂ I_x i ∈ i ∈ ∞ ∞ := i =) □ □ □ = = Format - Styles - [-] (→ → X ⊡ □ □ □ □ Ω □ ⊡ Source	
WANT TO KNOW MORE? Fill out the short form below to get in touch with our team.	<pre> <h2 class="text-align-center">WANT TO KNOW MORE?</h2> Fill out the short form below to get in touch with our team.</pre>	
Text format Full HTML (Private Lease) About text formats ?	Text format Full HTML (Private Lease) About text formats () 	

Once inserted, re-click the source to return to view, you will notice that it seems nothing has happened, it's normal.

Don't forget to click "Save + Add element" at the bottom to save your modifications!

Save	Save + Add element



Step 6 :

Add other elements in your webform as you usually do, then save this webform

STAR ANCHOR				
View Test Results Build Settings Translate Clone				
Home » STAR ANCHOR				
+ Add element + Add page + Add layout				Show row weights
TITLE	KEY	ТҮРЕ	FLEX REQUIRED	OPERATIONS
[processed_text]	processed_text	Advanced HTML/Text	1	Edit -
🕂 Company Name	company_name	Text field	ı 🗹	Edit -
	flexbox	Flexbox layout	1	Edit 👻
+ First name	first_name	Text field	1	Edit -
Last name	last_name	Text field	1 🗹	Edit -
	flexbox_02	Flexbox layout	1	Edit -
🕂 Email	email	Email	1	Edit -
+ Telephone	telephone	Telephone	1	Edit -
How would you like us to contact you?	how_would_you_like_us_to_contact_you	Select	1	Edit -
We will reach out to you within three working days	we_will_contact_you_within_three_working_days	Label	ı 🗆	Edit -
Privacy statement	privacy_statement	Checkbox	1	Edit -
Submit button(s)	actions	Submit button(s)	1	Customize

Once this step is completed, it means that the PART 1 - Webform setting is done!



Save elements

Reset

PART 2 - PAGE EDITING

Step 7 :

Go to the page that you want to add an anchor on, copy its URL



Then click "EDIT" to enter the editing mode



Step 8 :

Find the block with the CTA that you want to link to webform



Done!



Advanced Tips :

- 1. If you have several CTAs on your page that link to the same webform at the bottom, the URL that you put for each CTA will be the same.
- 2. Under the same logic, you can scroll down to other blocks besides the webform block by clicking a CTA. But the premise is that this block MUST contain a HTML text box.

e.g. if you want to scroll to a <u>HTML text box or <u>Text+Links</u> block on your webpage, you will have to reproduce the STEP 5 to insert the code into the HTML text box.</u>

- 3. If you have several CTAs linked to different blocks (e.g. one linked to a webform and the other linked to a HTML text box), you MUST change your code at STEP 5 when you create the second anchor link.
- e.g. Depending on the number, you can change it into "anchor02", "anchor03"...

Accordingly, the end of the URL of the linked CTA must be changed too: #anchor02 #anchor03

LINK	
URL *	
https://www.arval.com/the-master/public/temp	late-pagesta <mark>r#anchor01</mark>
Start typing the title of a piece of content to select it https://example.com. Enter <front> to link to the fr link text only.</front>	. You can also enter an internal path such as <i>/node/add</i> or an ex ront page Enter <i><nolink></nolink></i> to display link text only. Enter <i><buttor< i=""></buttor<></i>
Link text	
Contact us	
"anchorO1 > Shppp: ass="text-align-center">WANT TO KNOW MORE? ss="text-align-center">Fill out the short form below in touch with our team.	Source X is in this changing environment.
nrmat Full HTML (Private Lease) About text formats	
NK	

