Arval Apollo Taxonomy Drupal 8









Summary

•	<u> Apollo - Brand model</u>	p.04
•	<u> Apollo - Downpayment</u>	p.10
•	<u> Apollo - Fuel type</u>	p.12
•	<u> Apollo - LCV - Number of seats</u>	p.13
•	<u> Apollo - LCV - Segment</u>	p.14
•	<u> Apollo - LCV - Size</u>	p.15
•	<u> Apollo - LCV - Volume</u>	p.16
•	Apollo - Marketing Flag	p.17
•	Apollo - Offer Duration	p.19
•	<u> Apollo - Offer Mileage</u>	p.23
•	<u> Apollo - Offer transmission type</u>	p.27
•	<u> Apollo - Offer services</u>	p.28
•	<u> Apollo - Offer services pack</u>	p.30
•	<u> Apollo - Option/category-topic</u>	p.32
•	<u> Apollo - Vehicle category</u>	p.36

Taxonomy

Taxonomy are accessible here:

Structure > Taxonomy



Search the taxonomy you want to edit or create and click on "List terms":



Click on edit to modify an existing Taxonomy:

÷	0	13124	Edit	•	

Or click on "Add term" to create one:



Webstore

You may encounter the following field:

Webstore code



It can only be apply for website with webstore. This field is notmandatory.

When an offer is import from the webstore the following taxonomy are automatically created in the backoffice:

- Apollo Brand model
- Apollo Fuel Type
- Apollo Offer transmission type
- Apollo Option/category-topic
- Apollo Vehicle category
- Apollo Offer Duration
- Apollo Offer Mileage

Apollo - Brand model

"Apollo - Brand model" taxonomy are used to create and define the offer brand and

model. It is also use to create brand pages like below with offers slider.



reputation for innovative technology with the Traction Avant. This car was the world's first mass-produced front wheel drive car, and also one of the first to feature a unitary type body, with no chassis supporting the mechanical components.

CITROEN C3 SOCIÉTÉ VU 5P BERLINE PURETECH 82 S&S BVM FEEL

PURETECH 82 S&S BVM FEEL



First level - MAKE



Complete all necessary fields:



OËD
nove
w. vidual meta tags and the pattern for a specific of keywords] automatically inserts the "keywords"
' 2 bar of a visitor's web browser when they view th added. It is recommended that the title is no grea
3

Number	Title	Description
1	Site	Select the desire country you are working on Example: DK
2	Name	Name of the Brand
3	Offer type	Set "LTR"
4	Webstore code	ID of the brand in the webstore API. (Automatically filled after import with webstore)
5	Header image	Header image of the brand page
6	Description	Description of the brand page
7	URL Aalias	Can be use to modify URL format (Not recommanded)
8	Brand logo	Logo use on the "All brands" page
9	Visible	Always checked this box
10	Offer list filter icon	Logo use on the LTR offer list
11	Metatags	Meta data of the brand page
12	Prevent indexation	Always uncheck this box for brand taxonomy. If not the page will not be visible by google robot.



Citroën is a French automobile manufacturer, part of the PSA Peugeot Citroën group since 1976, founded in 1919 by French industrialist André-Gustave Citroën (1878–1935). In 1934, the firm established its reputation for innovative technology with the Traction Avant. This car was the world's first mass-produced front wheel drive car, and also one of the first to feature a unitary type body, with no chassis supporting the mechanical components.



Second level - Model



Site *
CORP-the-master
Name* 1
Characters: 24
C3 société vu 5p berline
Offer type *
Offer LTR Offer LCV Offer MTR
Webstore code
3788
This code is provided from webstore. Do not edit it if it is not necessary.

Number	Title	Description
1	Name	Name of the Model
2	Webstore code	ID of the model in the webstore API. (Automatically filled after import with webstore)

CITROEN C3 SOCIÉTÉ VU 5P BERLINE PURETECH 82 S&S BVM FEEL

PURETECH 82 S&S BVM FEEL





Apollo - Downpayment

"Apollo - Downpayment" taxonomy are used to create and define the first month payment of



Site * 1
CORP-the-master
Name * Characters: 2
0
Description
B <i>I</i> <u>U</u> S x [≥] <u>I</u> _x ⊜ ⊜
body p
Text format Filtered HTML 💌

Number	Title	Description
1	Site	Select the desire country you are working on Example: DK

2	Name	Price of the downpayment
3	Description	Not used
4	Webstore code	ID of the brand in the webstore API. (Only after import with webstore)

MINI Mini VU 3p Berline One D 95 ch Société

ONE D 95 CH SOCIÉTÉ





A brief and concise summary of the page's content, preferably 150 characters or less. Where as the description meta tag may be used by search engines to display a snippet about the page in search results, the abstract tag may be used to archive a summary about the page. This meta tag is *no longer* supported by major search engines.

Apollo - Fuel Type

"Apollo - Fuel type" taxonomy are used to create and define the fuel type of offers.



Number	Title	Description
1	Site	Select the desire country you are working on Example: DK
2	Name	Name of the fuel
3	Description	Not used

Apollo - LCV - Number of seats

"Apollo - LCV - Number of seats" are used to create and define the number of seats in a offer model.

It is only apply to the Vans solution offer (LCV).

Work Segment Transport and lo	~	Vehicle Size Todos	~	Volume Todos	~	Number of seats Todos	Budget Todos	~	
								RESET	
I OFFERS						3			
						4			
		••							

Necessary fields:

CORP-the-master	•
Name * 🙎	
Characters: 1	

D ! . . ! . . .

Number	Title	Description
1	Site	Select the desire country you are working on Example: DK
2	Name	Number of seats
3	Description	Not used

Apollo - LCV - Segment

"Apollo - LCV - Segment" are used to create and define the work activity for the Van solutions filters.

It is only apply to the Vans solution offer.

Work Segment Ve Todos Tod	e hicle Size dos	Volume Todos	Number of seats Todos	✓ Budget ✓ Todos
	RESET			
Transport and logistics				
Construction				
Services		Citroi H1L1/D	ën Berlingo vu 3p	fourgonnette

Site * 🚺
CORP-the-master
Language
English 🔻
The term language code.
Name * 2
Characters: 23
Transport and logistics
Description
B I <u>U</u> ³ x² <u>I</u> _x ⊕ ≪ ∏

Number	Title	Description
1	Site	Select the desire country you are working on Example: DK
2	Name	Work space / Activity
3	Description	Not used

Apollo - LCV - Size

"Apollo - LCV - Size" are used to create and define the size of a vehicle for LCV.

It is only apply to the Vans solution offer (LCV).

NISSAN E-NV200 VU 4P FOURGON

H1 L1 ELECTRIQUE



Work Segment Transport and Io		Vehicle Size	Va Toi	o lume dos	~	Nu Too	u mber of seat dos	s ~	Budget Todos	*
					R	ESET				
1 OFFERS		H1 L1								
		□ H2 L2								

CORP-the-master	•
Language	
English 🔻	
The term language code.	
Name * 2	
Characters: 5	
H1 L1	
Description 3	
B I <u>U</u> S × [≥]	<u>T</u> _x 📾 🙊
Number Title	

Number	Title	Description
1	Site	Select the desire country you are working on Example: DK
2	Name	Size format of the vehicle
3	Description	Not used

Apollo - LCV - Volume

"Apollo - LCV - Volume" are used to create and define the volume of a vehicle for LCV.

It is only apply to the Vans solution offer (LCV).

Work Segment	Vehicle Size Todos	Volume Todos	Number of seats Todos	Budget 🗸 Todos
			RESET	
1 OFFERS		1 to 3 m3		
		4 to 7 m3		

anguage	
English 🔻	
he term language code.	
Name * 👩	
haracters: 9	
1 to 3 m3	
1 to 3 m3	

Number	Title	Description
1	Site	Select the desire country you are working on Example: DK
2	Name	Volume of the vehicle
3	Description	Not used

Apollo - Marketing Flag

"Apollo - Marketing Flag" are used to create and define an information flag on the offers.



START DATE

END DATE

25/11/2020

6

14:14:15 🕓

14:16:00 🕓



Number	Title	Description
1	Site	Select the desire country you are working on Example: DK
2	Name	Volume of the vehicle
3	Lead campaign ID	Use to define a campaign ID with saleforce tracking
4	Description	Not used
5	Color code background	Define the color of the flag
6	Start & End date	Define the appearance duration of the flag
7	Offer page banner	Put a banner on the offers with the marketing flag





A brief and concise summary of the page's content, preferably 300 characters or less (150 char length could be the best choice). The description meta tag may be used by search engines to display a snippet about the page in search results.



Apollo - Offer Duration

"Apollo - Offer Duration" taxonomy are used to create and define the available duration of offers.

BMW I3 / 5P / BERLINE 120 AH ATELIER

120 AH ATELIER



20000

A best pratice when creating duration taxonomy is to create one for each offer type. In that case it will be easier to find which duration if define for which offer type.

Letter taxonomy must not have any offer type defined. Let's see that in the next paragraph.

÷	LC	(
	÷	24
	÷	36
	÷	48
÷	LTR	2
	÷	24
	÷	36
	÷	42



Number	Title	Description
1	Site	Select the desire country you are working on Example: DK
2	Name	Number of months
3	Description	Not used
4	Offer type	Define for which offer type the duration if for (LTR, MTR, LCV)

Further details

We can have the same duration type on different offertype:



But one is define on LTR offer type and the other on LCV offer type.

Offer type		Offer type	
- None -	\sim	- None -	\sim
Offer LTR		Offer LTR	
Offer LCV		Offer LCV	
Offer MTR	\sim	Offer MTR	~

Make sure that the taxonomy use for the order are set as "None":

Offer type

- None -	\sim
Offer LTR	
Offer LCV	
Offer MTR	\sim

It will be the same for the offer list page. They must be assigned to an offer type:

Long term need offer					
				Cars Vans	
Makes Models Duration Mileage Budget All All All All All All All					

17 OFFERS



Site *

CORP-the-master

Title *

Characters: 20

Long term need offer

Language



Offer LCV Offer MTR

In that way only the "LTR" duration taxonomy will be visible on the "LTR" offer list filters. Taxonomy must be in an ascending order to be the same in front-office:

Ŧ



Apollo - Offer Mileage

"Apollo - Offer Mileage" taxonomy are used to create and define the available mileage of offers.

BMW I3 / 5P / BERLINE 120 AH ATELIER





Duration 24 months 24 36 42 NEED A SHORTER LEASE → Mileage 10000 km/year 10000 15000 20000 CHOOSE THIS OFFER

+VAT p month 50 €

A best pratice when creating mileage taxonomy is to create one for each offer type. In that case it will be easily to find which mileage if define for which offer type.

Letter taxonomy must not have any offer type defined. Let's see that in the next paragraph.



Necessary fields:



Number	Title	Description
1	Site	Select the desire country you are working on Example: DK
2	Name	Number of kilometers
3	Description	Not used
4	Offer type	Define for which offer type the duration if for (LTR, MTR, LCV)

Further details

We can have the same duration type on different offertype:



But one is define on LTR offer type and the other on LCV offer type.

Offer type		Offer type	
- None -	\sim	- None -	\sim
Offer LTR		Offer LTR	
Offer LCV		Offer LCV	
Offer MTR	\sim	Offer MTR	~

Make sure that the taxonomy use for the order are set as "None":

Offer type

- None -	\sim
Offer LTR	
Offer LCV	
Offer MTR	\sim

It will be the same for the offer list page. They must be assigned to an offer type:

Long term need offer					
				Cars Vans	
Makes Models Duration Mileage Budget All All All All All All All					

17 OFFERS



Site *

CORP-the-master

Title *

Characters: 20

Long term need offer

Language







In that way only the "LTR" duration taxonomy will be visible on the "LTR" offer list filters. Taxonomy must be in an ascending order to be the same in front-office:

•

Mi	lleage 🔨	Budget All	~	
				RESET
۲	- Any -			
0	10000			
0	15000			
0	20000			

Apollo - Offer transmission type

3

Description

"Apollo - Offer transmission type" taxonomy are used to create and define the transmission type of

DESCRIPTION OF TH	E BMW 13 / 5P / BERI	LINE			
Basics	Caractéristiques technique	s 💮	Confort intérieur et de conduite	Extérieur	Sécurité
MPG	15	Doors	5	Fuel type	Electrique
Boîte de vitesses	Automatique				
lecessary fields:					
Site *					
CORP-the-ma	ster		•		
Name*					
Characters					
Automatique					
Description 3					
BIU	S x² <u>T</u> _x €	e eg			
Number	Title		Description		
1	Site		Select the desire count Example: DK	ry you are workiı	ngon
2	Name		Name of the transmissi	on type	

Not used

Apollo - Offer services

"Apollo - Offer services" taxonomy are used to create and define the services contain in the services pack for offers and/or the service presented to the user in the product page.

6 SERVICES INCLUDED BY ARVAL



	Driver 4 services 15 €	Eusiness 8 services 20 € ⊙	Executive 9 services 25 € ○
24/7 Roadside assistance	~	~	~
Arval Active Link / Telematics	~	~	~
Dedicated customer care	~	~	~
Delivery	~	~	~
Fuel Card Management	×	~	~
Insurance and accident management	×	~	~
Relief vehicle	×	~	~
Insurance	×	Insurance mentio SEE MORE	Insurance mentio SEE MORE

*Service pack step if you use it

Necessary fields:

Site *			
CORP-the-maste	r 🗸		
Name * Characters: 2 Service, Maintena Icon fa- Wrench	nce & Repair	kς [*]	
of Fontawesome.			ADDITIONAL FONT AWESOME SETTINGS
B I U S	x² \textit{I}_{x} $\textcircled{\mbox{e}}$ \circledast nance & Repair keep your vehicle running and looking good: yo	ur vehicle is fully maintained.	Style 4
Number	Title	Description	
1	Site	Select the desire country Example: DK	you are workingon
2	Name	Service name	
3	Icon	Service icon	
4	Additional font awesome settings	Always put Light style	
5	Description	Service description	

Further details

Services display on the offers are configured in the settings website. If you want to add or delete a service in your product page, please create a Jira ticket





A brief and concise summary of the page's content, preferably 300 characters or less (150 char length could be the best choice). The description meta tag may be used by search engines to display a snippet about the page in search results.

PDF

6 SERVICES INCLUDED BY ARVAL			
Service, Maintenance & Repair	~	Insurance and accident management	~
ومی 24/7 Roadside assistance	~	Relief vehicle	~
left Tire management	~	Arval Digital Suite	~

Apollo - Offer services pack

"Apollo - Offer services pack" taxonomy are used to create and define the services pack for offers.





Number	Title	Description
1	Site	Select the desire country you are working on Example: DK
2	Name	Services pack name
3	Description	Not used
4	Marketing label	Not used
5	Name teaser	Not used
6	Add service pack	Use to add services in the pack
7	Service	Select the desire service
8	Details	Use to display a mention instead of a "check" icon on service pack overview 255 caracters maximum.

	Criver 4 services 30 € ⊙	E Business 8 services 40 €	Executive 9 services 50 € ○
24/7 Roadside assistance	~	~	~
Arval Active Link / Telematics	~	~	~
Dedicated customer care	~	~	~
Delivery	~	~	~
Fuel Card Management	×	~	~
Insurance and accident management	×	~	~
Relief vehicle	×	~	~
Insurance	×	Insurance mentio SEE MORE	Insurance mentio • SEE MORE
Roadside Assistance	×	×	~

Apollo - Option/category-topic

"Apollo - Option/category-topic" taxonomy are used to create and define the equipements and options category for offers.

Equipments (Already available on the offer):

DESCRIPTION OF THE BMW 13 / 5P / BERLINE

邑 Basics [Caractéristiques tech	niques 💮 Confort intérieur et de conduite	🛱 Extérieur 🔗 Sécurité
Niveau de finition	ATELIER	Nombre de portes 5	Année Modèle 2020
Puissance fiscale ((CV) 3	Longueur (mm) 4011	Largeur (mm) 1775
Volume du coffre ((l) 260	Volume du coffre, siège 1100 AR bas (l)	Hauteur (mm) 1598
Empattement (mn	n) 2570	Norme d'émission 4	Taux CO2 (g/km)
Carburant	Electrique	Puissance en Ch 167	Poids remorque freinée (kg)

Options (Buyable options):

Define and customize your car				
CONFORT INTÉRIEUR ET DE CONDUITE				
Confort	^			
Caméra de recul	+ 20 €			
Kit fumeur	+ 20 €			
Radars de stationnement avant et arrière PDC	+ 20 €			
Sièges	^			
Sièges avant chauffants	+ 20 €			
Visibilité	^			
Vitrage calorifuge	+ 20 €			

This taxonomy is build with **two level**. First level define the topic of the option/equipment. Second level define the category of the option/equipment. The value and/or price are define directly in the offer.

+	Ca	ractéristiques techniques
	÷	Carburant
	÷	Dimensions
	÷	Infos nationales
	4	Moteur
	4	Performances
	+	Poids
	+	Version

First level

Necessary fields:

CORP-the-master	•
Name * Characters 2	
Caractéristiques techniques	
Description 3	
	1
B <i>I</i> <u>U</u> S x ² <u>I</u> _x ⇔ ⊜	1
B I <u>U</u> S x ² <u>I</u> _x ∞ ≪	1
B I <u>U</u> S x ² I _x ∞ ≪	1

of Fontawesome.

style	9	
Light	*	

			Comment
1	Site	Select the desire country you are working on Example: DK	
2	Name	Name of the topic	
3	Description	Not used	
4	lcon	Define the icon of the topic	https://fontawesome.com/icons?d=gallery&s=light
5	Style	Always choose <u>light</u>	

DESCRIPTION OF THE BMW I3 / 5P / BERLINE

Basics	2 Caractéristiques techniques	🕤 💮 Confort in	ntérieur et de conduite	Extérieur	Sécurité
Niveau de finition	ATELIER	Nombre de portes	5	Année Modèle	2020
Puissance fiscale (CV)	3	Longueur (mm)	4011	Largeur (mm)	1775
Volume du coffre (l)	260	Volume du coffre, siège AR bas (l)	e 1100	Hauteur (mm)	1598

Second level

Necessary fields:

COR	P-th	e-ma	ster			•
Name Chara	* acter	2				
Carb	uran	t				
Descr	iptio	13				

🗌 Is radio </u>

For second level ONLY ! Checked the field in accordion will accept juste one value (Radio button)

1	Site	Select the desire country you are working on Example: DK
2	Name	Name of the topic
3	Description	Not used
4	Is radio	For options only. Check this box if only one options must be choose

	Confort	^
•	Caméra de recul	+ 20 €
•	Kit fumeur	+ 20 €
•	Radars de stationnement avant et arrière PDC	+ 20 €

	Confort one option clickable	^
۲	Caméra de recul	+ 20 €
0	Kit fumeur	+ 20 €
0	Radars de stationnement avant et arrière PDC	+ 20 €

Further details

For <u>equiments</u> in front office the category (|v| 2) are not visible. The value (2 & 3) is set directly in the offer.

Front-office:

Basics Caractéristiques techniques	
2 Niveau de finition ATELIER 3	Nom
Back-office (Offer):	
Category	
Version 🔻	
Торіс	
Caractéristiques techniques	
Topic is managed from <i>Vocabulary</i>	
Name	
Niveau de finition	
Value ATELIER	

For $\underline{options}$ in front office the topic (IvI 1) are not visible. The value (2 & 3) is set directly in the offer.

Front-office:



Back-office (Offer):

Category/topics *					
Confort intérieur et de conduite \checkmark	Confort 🛡 🗸				
Name Caméra de recul					
Price * 3					

Apollo - Vehicle category

"Apollo - vehicle category" taxonomy are used to create and define the vehicle category.

Categories All	^	Duration All	~	Mi
			RESE	T
and the second s	Breal	k		
	Large	e family		
Ð	Minil	bus		
a	Smal	L		

	P-th	e-ma	ster			
Name Chara	* cters	2				
Brea	k					
Descr	iptio	n 🌔	3			

Offer type	
- None - Offer LTR	
Offer MTR V	
Categories associated 5	6
- None - Apollo - Vehicle category	
Break Compact	Remove
▼ IMAGE SELECTED	Edit
break selected	► RELATIONS
Remove	OFFER LIST FILTER ICON
Edit	Remove

Number	Title	Description
1	Site	Select the desire country you are working on Example: DK
2	Name	Service name
3	Description	Not used
4	Offer type	Offer type of the category (LTR, LCV, MTR)
5	Categories associated	Not used
6	Image selected	Green visual when picto is selected on the MTR search page
7	Image not selected	Black visual when picto is not selected on the MTR search page
8	Offer list filter icon	Visual on the MTR filter

CATEGORÍAS



